

SCANFOIL

PP

Scanfoil PP is a thermoforming foil with good forming properties, transparent with the choice of regular clarity or HiClear and is also available in colors.


The HiClear transparency is comparable with APET. Scanfoil PP is food approved and can be used for chilled food, frozen food and ready meal for microwave oven heating.

The material is suitable for cold-, warm-, hot filling and retort sterilization. Including a barrier layer will result in a high performing Modified Atmosphere Packaging (MAP) or skin pack system using a FFS or thermoforming machine.

Suitable for various applications and segments, e.g. electrical components, industrial applications and secondary packaging.

The Scanfoil PP is fully recyclable and the material group with the highest demand on the recycling market.

FOIL STRUCTURE



scanfill

BRINGS OUT THE BEST IN PACKAGING

PRODUCT DESCRIPTION

Foil thickness	170-2000 μm
Foil width	up to 1450 mm
Density	0.9 g/cm ³
Sealing temperature	165-200°C
Sealing time	0,5-2s
Shrinkage	1-3%
% recycled material	up to 100%

THERMOFORMING SETTINGS

Pre-heating cabinet	\approx 80°C
Foil temperature	\approx 140-160°C

FEATURES

Food approved	✓
Microwaveable	✓
Freezable	✓
Recyclable	✓
Low Density	✓

OPTIONS

Barrier (Low, Standard, High)	✓
ESD	✓
Easy Seal	✓
Anti-Fog	✓

APPEARANCE

Clear	✓
HiClear	✓
Colored	✓
Dual colors	✓
Carbon black free color	✓

STORAGE

Stored at 10-35°C with relative humidity at 30-70%. Material to be protected from sunlight and physical contamination. Material can be stored up to 12 months under normal storage conditions.



Visiting address
Bronsgatan 8
SE-271 39 YSTAD

+46 (0)411 170 30
scanfill@scanfill.se
www.scanfill.com

MEMBER OF THE POLYKEMI GROUP